



Stock Code:603338 Please input the model number

[About Us](#) [Press](#) [Products](#) [Service Center](#) [Resource](#)



Location: [Home](#) > [Products](#) > [Electric Vertical Lifts](#)

AMWP9.5-1200/AMWP8-1200

Main spec.

- Working height: 9.50m and 8.00m
- S.W.L: 136kg and 159kg

Important features

- Automatic pothole protection
- Emergency lowering system
- Cylinder holding valve
- Extension platform



Related Machine Recommend



Spec.&data [Option](#) [Three view](#)

Size

Model	AMWP9.5-1200	AMWP8-1200
Max. Working height A	9.50m	8.00m
Max. Platform Height B	7.50m	6.00m
Overall Length C	1.44m	1.39m
Overall Width D	0.80m	0.80m
Overall Height E	1.99m	1.99m
Platform Size(Length F / Width G)	0.71m×0.75m	0.71m×0.75m
Platform Extension Size H	0.53m	0.53m
Ground Clearance(Stowed)	0.06m	0.06m
Ground Clearance(Raised)	0.019m	0.019m
Wheel Base	1.12m	1.07m

Performance

Resource

[CE certificate Download](#)

[Products Manuals Download](#)



Stock Code:603338 Please input the model number

About Us Press Products Service Center Resource



Location: Home > Products > Electric Vertical Lifts

AMWP9.5-1200/AMWP8-1200



Main spec.

- Working height: 9.50m and 8.00m
- S.W.L: 136kg and 159kg

Important features

- Automatic pothole protection
- Emergency lowering system
- Cylinder holding valve
- Extension platform

Related Machine Recommend



Spec.&data

Option

Three view

Size

Performance

	AMWP9.5-1200	AMWP8-1200
Model	AMWP9.5-1200	AMWP8-1200
S.W.L	136kg	159kg
Max. Occupants	1	1
Turning Radius(Inside/Outside)	0/1.60m	0/1.55m
Travel Speed(Stowed)	4km/h	4km/h
Travel Speed(Raised)	1.1km/h	1.1km/h
Up/Down Speed	29/32sec	23/25sec
Gradeability	25%	25%
Maximum Slope	X-1.5°/Y-3°	X-1.5°/Y-3°
Tyre	Φ323×100mm	Φ323×100mm

CE certificate Download

Products Manuals Download

Resource



Stock Code:603338 Please input the model number

[About Us](#) [Press](#) [Products](#) [Service Center](#) [Resource](#)



Location: [Home](#) > [Products](#) > [Electric Vertical Lifts](#)

AMWP9.5-1200/AMWP8-1200



Main spec.

- Working height: 9.50m and 8.00m
- S.W.L: 136kg and 159kg

Important features

- Automatic pothole protection
- Emergency lowering system
- Cylinder holding valve
- Extension platform

Related Machine Recommend

AMWP11.5-8100	AMWP9.5-1200/AMWP8-1200	GTWY12.5-2100/GTWY14-2100	GTWY11-2100/GTWY9.5-2100



Spec.&data

[Option](#)

[Three view](#)

[Size](#)

[Performance](#)

[Power](#)

[Weight](#)

[Model](#)

[Weight](#)

AMWP9.5-1200

AMWP8-1200

1480kg

1120kg

Resource

[CE certificate Download](#)

[Products Manuals Download](#)

[About Us](#)

[Products](#)

[Electric Boom Lifts](#)

[Contact Us](#)

[Mobile Social](#)