

WASTEMASTER | 542-70 / 560-80



DEDICATED TO WASTE

DESIGNED TO DELIVER



STAGE V

MAX LIFT CAPACITY
4,200kg / 6,000kg

MAX LIFT HEIGHT
7.0m / 7.9m

MAX ENGINE POWER
130bhp

DESIGNED TO BE PRODUCTIVE.

New hydro-variable transmission that provides high tractive effort with smooth forward and reverse shuttling along with variable speed control up to 19kph.



GREATER PRODUCTIVITY

The all-new CommandPlus cab provides greater comfort, more space, less noise and greater visibility to help work productively with less fatigue over a long working day.



DESIGNED TO BE TOUGHER.

The new Wastemaster range provides the ultimate in machine protection with full under-body powertrain protection along with roof and front screen guards.



COMPLETE PROTECTION

Full underbody protection, fuel tank protection and light guards as standard offer maximum protection and prevent damage.

DESIGNED TO BE SAFER.

The new Wastemaster range comes with our most enhanced safety features to date with best-in-class visibility from the one-piece curved glass front windscreen.



COMPLETE CONTROL

The Patented Adaptive Load Control System controls hydraulic operation, ensuring machine stability at all times. LED worklights provide maximum visibility when working at night or in dusty environments.



DESIGNED TO PERFORM.

Our proven JCB DieselMAX engine is now available at Stage V with increased efficiency and more power than ever, 130hp (97kW).



GREATER EFFICIENCY

Regenerative hydraulics harness gravitational forces for quicker boom lowering and retract.

DESIGNED TO BE COMFORTABLE.

The new CommandPlus cab is 12% larger, giving operators extra space and a more comfortable driving position, eliminating fatigue throughout the working day.



COMPLETE COMFORT

New seat mounted command armrest along with new set and forget steering column for optimum comfort. 50% reduction in cab noise gives a best-in-class 69dBA.





SPECIFICATION.

MODEL	542-70	560-80
Lift height	7.0m	7.9m
Lift capacity	4,200kg	6,000kg
Maximum engine power	97kW/130hp	
Maximum speed	20kph	
Lift Capacity at full height	2,750kg	3,000kg
Lift Capacity at full reach	1,675kg	1,750kg
Forward reach at max height	0.48m	0.92m
Reach with 1 tonne payload	3.73m	4.48m



STANDARD FEATURES.

- New JCB DieselMAX 130hp Stage V compliant engine
 - New CommandPlus cab
 - Air seat
 - Screen guards and light guards
- Smooth Ride System (SRS)
 - White noise alarm
 - 6x LED worklights
 - Full machine protection guards
 - Carbon air filter



Dedicated to waste. Designed to deliver.

REQUEST A QUOTE



www.jcb.com

